

Work Order ID 135124

135124

Page 1

Wednesday, July 29, 2015 1:09:17 PM

Item ID: D3552-29 Accept ***N9000040100*** Setup Start ***NS1***
 Revision ID: PRELIM Stop ***NS2***
 Item Name: Door Prop
 Start Date: 8/7/2015 Start Qty: 26.00 ***26*** Cust Item ID:
 Required Date: 8/7/2015 Req'd Qty: 26.00 ***26*** Customer:
 Reference:

Approvals: Process Plan: CL Date: **JUL 29 2015** Tooling: _____ Date: _____
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
 Run Start ***NR1***
 Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr	
D3552	L4 Rev L	15-08-07

100	PURCHASING	0.00							
100									
Purchasing	Memo	0.00							
Purchasing	Issue P/O: <u>29317</u>								
	Purchase Part Number: B6-190-475-100N								
	Supplier: LS Technologies								
	Certificate of conformity is required								

110	Receive & Inspect for Damage & Mat'l Certs	0.00							
110									
Packaging	Memo	0.00							
Packaging	Ensure certificate of conformity is attached								

120	QC6- Inspect dimensions to drawing	0.00							
120									
QC	Memo	0.00							
Quality Control	Test for correct pressure								

DAS
38
9-89
AUG 06 2015

Work Order ID 135124

Wednesday, July 29, 2015 1:09:17 PM

135124

Page 2

Item ID: D3552-29 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: PRELIM Stop ***NS2***
Item Name: Door Prop
Start Date: 8/7/2015 Start Qty: 26.00 ***26*** Cust Item ID:
Required Date: 8/7/2015 Req'd Qty: 26.00 ***26*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: <u>st366</u>	0.00							
130									
Packaging	Memo	0.00							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

26 15-8-7

MCS AUG 10 2015

15-8-7

Picklist Print

Wednesday, July 29, 2015 1:09:16 PM

Page 1

Work Order ID: 135124

135124

Parent Item: D3552-29

D3552-29

Parent Item Name: Door Prop

Start Date: 8/7/2015

Required Date: 8/7/2015

Start Qty: 26.00



Required Qty: 26.00

Comments: IPP REV:A 15.07.29 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
B6-190-475-100N		Purchased			No		Each	0.0000		26			
B6-190-475-100N									**	Alex 8/15-08-			
Door Prop													

2lex SP15-08-06.

SPECIFICATION CONTROL DRAWING



PRELIMINARY ISSUE
15.07.23
For VS.

CX JUL 29 2015
W/0: 135124


L	ADD P/N D3552-29	VS	15.04.13
K	ADD "X" TO LS TECHNOLOGIES P/N'S TO DESIGNATE "EXTRA DAMPING" FOR D3552-15/-17/-19/-25/-27. REASON: PAR12-209.	MB	12.07.16
J	ADD P/N D3552-25/-27. REMOVE ALTERNATE PART NUMBER FOR -15, -17 AND -19. STROKE FOR -15, -17 AND -19 WAS 139/8.06 NOW 154/8.06. EXTENDED LENGTH FOR -15, -17 AND -19 WAS 386/15.2 NOW 387/16.2.	AP	11.12.07
I	ADD P/N D3552-23	RF	11.10.11
H	ADD P/N D3552-21	DC	11.03.10
G	FOR -15, FORCE:300/87.4 WAS 400/89.9, SUPPLIER P/N B8-154-387-300N WAS B8-154-387-400N; FOR -17, STROKE: 139/8.47 WAS 160/9.30, EXT LG: 386/15.2 WAS 407/16.0, SUPPLIER P/N B8-154-387-156N WAS B8-167-408-156N	JPH	10.11.01
F	ADD P/N D3552-15/-17/-19 AND ALTERNATE SUPPLIER	JPH	10.07.27
E	ADD P/N D3552-13 ZN B8-1, A8-1, D6-1, CHANGE NAME FROM "GAS SPRING" TO "DOOR PROP" THROUGH OUT DWG	HS	10.02.03
D	ADD P/N D3552-101 ZN D6-1, C7-1, C1-1 AND D3552-103 ZN D1-1 AND C2-1 AND ZN B8-1; ADD NOTE REGARDING D3552-101 AND D3552-103 COMPATIBILITY ZN A8-1	HS	09.04.02
C	ADD D3552-11 AND CONVERSIONS FOR INSPECTION; UPDATE P/N FOR D3552-7	LE	07.08.01
R	ADD D3552-7/-8-1 UPDATE DESG: D3552-1A-3A-5	LE	06.10.24
		LE	06.09.15
		BY	DATE

SOLIDWORKS Detached drawing - Out-of-Sync Print

UNAPPROV

DRAWN VS
CHECKED RF
MFG. APPR. JLM
APPROVED
DE APPR.
DATE 15.04.13

SPACE LTD
HAWKESBURY, ONTARIO, CANADA
DRAWING NO. D3552
TITLE DOOR PROP
REV. L4
SHEET 1 OF 2
SCALE NTS
COPYRIGHT © 2005 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DART PART NUMBER	DESCRIPTION	STROKE (mm/in)	EXTENDED LENGTH (mm/in)	FORCE (N/lb)	END FITTING	MATERIAL	SUPPLIER	SUPPLIER PART NUMBER OR MODEL NUMBER
D3552-1	DOOR PROP	220/8.66	530/20.6	70/15.7	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-220-530-070N
D3552-3	DOOR PROP	200/7.87	490/19.3	200/45.0	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-200-490-200N
D3552-5	DOOR PROP	175/6.89	430/16.9	150/33.7	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-175-430-150N
D3552-7	DOOR PROP	220/8.66	530/20.9	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-220-530-070N
D3552-8	DOOR PROP	200/7.87	490/19.3	200/45.0	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-200-490-200N
D3552-11	DOOR PROP	240/9.45	575/22.6	150/33.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-240-575-150N
D3552-13	DOOR PROP	220/8.66	530/20.9	140/31.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-220-530-140N
D3552-15	DOOR PROP W/EXTRA DAMPING	154/6.06	387/15.2	300/67.4	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-300NX
D3552-17	DOOR PROP W/EXTRA DAMPING	154/6.06	387/15.2	156/35.1	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-156NX
D3552-19	DOOR PROP W/EXTRA DAMPING	154/6.06	387/15.2	60/13.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-060NX
D3552-21	DOOR PROP	167/6.57	410/16.1	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-167-410-070N
D3552-23	DOOR PROP	190/7.48	475/18.7	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-190-475-070N
D3552-25	DOOR PROP W/EXTRA DAMPING	148/5.83	475/18.7	300/67.4	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-148-475-300NX
D3552-27	DOOR PROP W/EXTRA DAMPING	148/5.83	475/18.7	156/35.1	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-148-475-156NX
D3552-29	DOOR PROP W/EXTRA DAMPING	190/7.48	475/18.7	100/22.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-190-475-100N
D3552-101	CLIP	N/A	N/A	N/A	N/A	CARBON STEEL	LS TECHNOLOGIES	C9
D3552-103	BALL SOCKET END	N/A	N/A	N/A	N/A	NYLON	LS TECHNOLOGIES	B10

D3552-X DOOR PROP

PRELIMINARY ISSUE

15.07.23
For VS

SOLIDWORKS Detached drawing - Out-of-Sync Print

UNAPPROVED

DRAWN VS
CHECKED RF
MFG. APPR. JLM
APPROVED
DE APPR.
DATE 15.04.13

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA
DRAWING NO. D3552
TITLE DOOR PROP
REV. L4
SHEET 2 OF 2
SCALE
NTS

- NOTES:
1) IDENTIFICATION: IDENTIFY PER QSI 044 6.2
2) D3552-101 CLIP IS ONLY COMPATIBLE WITH D3552-1/-3/-5 DOOR PROPS
3) D3552-103 BALL SOCKET END IS ONLY COMPATIBLE WITH D3552-7/-9/-11/-13/-15/-17/-19/-21/-23/-25/-27 DOOR PROPS

COPYRIGHT © 2006 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO29317**

Purchase Order Date 7/29/2015

PO Print Date 7/29/2015

Page Number 1 of 1

Order From :

VC-LST0001

Ship To : DART AEROSPACE LTD

LS TECHNOLOGIES INC.
314 JESSOP AVE
SASKATOON, SK S7N 1Y6
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED

Contact Name

Vendor Phone 306 683 5000

Ship To Contact

Ship To Phone

Ship Via: FedEx Overnight collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

EXW - (Ex Works)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Qty/ Unit of Measure	PO Unit Price	Extended Price
1	B6-190-475-100N AS PER DWG D3552 REV. L4 PRELIM B135124	Door Prop	8/4/2015 Yes 8/4/2015		26.00 Each	\$32.50	\$845.00
2	71401-45 Procurement Quality Clauses A004 faa-pma/tso A005 right of entry A016 personnel qualification A025 certification of conformance A040 notification of quality escape A043 retention of quality documents	PROCUREMENT QUALITY CLAUSES	8/4/2015 No 8/4/2015		1.00	\$0.00	\$0.00
Line Total:							\$845.00
PO Total:							\$845.00

5015-08-06

CZ

PO Instructions: Fedex Acc#151793240

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 7/29/2015

LS Technologies Inc
314 Jessop Ave
Saskatoon, SK S7N 1Y6

Ph: 306-683-5000 Fax: 306-683-6403

Packing Slip


P.O. No.	Date	Invoice #
29317	8/05/2015	13655

Bill to:
Dart Aerospace Ltd 1270 Aberdeen St. Hawkesbury, ON K6A 1K7

Ship to:
Main Finished Goods Location Dart Aerospace Ltd 1270 Aberdeen St. Hawkesbury, ON K6A 1K7

Ship	Via	FOB
	Fed-Ex	

Qty	Description
26	D3552-29 B135124 Gas Spring (B6-190-475-100N w extra dampening) Shipping Via FED EX Tracking # 774216385003 <i>80508-02</i>

Order checked by 



LS Technologies Inc
314 Jessop Ave
Saskatoon, SK, S7N 1Y6
Ph: (306) 683-5000 Fax: (306) 683-6403

Certificate of Compliance

Aug 05, 2015

This is to certify that the parts listed below meets specifications as required by your order.

26 Units : D3552-29 B135124 Gas Spring

**Country of Manufacture: Canada
Date of Manufacture : June 2014
This product is ROHS compliant.**



Purchase Order # 29317
Invoice # 13655

L S Technologies Inc Canada

A handwritten signature in black ink, appearing to be 'Nolan Fehr', written over a horizontal line.

Nolan Fehr
Manager

SPECIFICATION CONTROL DRAWING



RELEASED
2015-08-04
ECN 15-609


L	ADD P/N D3552-29	VS	15.04.13
K	ADD "X" TO LS TECHNOLOGIES P/N's TO DESIGNATE "EXTRA DAMPING" FOR D3552-15/-17/-19/-25/-27. REASON: PAR12-209.	MB	12.07.16
J	ADD P/N D3552-25/-27. REMOVE ALTERNATE PART NUMBER FOR -15, -17 AND -19. STROKE FOR -15, -17 AND -19 WAS 139/6.08 NOW 154/6.08. EXTENDED LENGTH FOR -15, -17 AND -19 WAS 386/15.2 NOW 387/15.2.	AP	11.12.07
I	ADD P/N D3552-23	RF	11.10.11
H	ADD P/N D3552-21	DC	11.03.10
G	FOR -15, FORCE:300/87.4 WAS 400/89.9, SUPPLIER P/N B8-154-387-300N WAS B8-154-387-400N; FOR -17, STROKE: 139/5.47 WAS 160/6.30, EXT LG: 386/15.2 WAS 407/16.0, SUPPLIER P/N B8-154-387-156N WAS B8-167-408-156N	JPH	10.11.01
F	ADD P/N D3552-15/-17/-19 AND ALTERNATE SUPPLIER	JPH	10.07.27
E	ADD P/N D3552-13 ZN B8-1, A8-1, D6-1, CHANGE NAME FROM "GAS SPRING" TO "DOOR PROP" THROUGH OUT DWG	HS	10.02.03
D	ADD P/N D3552-101 ZN D6-1, C7-1, C1-1 AND D3552-103 ZN D1-1 AND C2-1 AND ZN B8-1; ADD NOTE REGARDING D3552-101 AND D3552-103 COMPATIBILITY ZN A8-1	HS	09.04.02
C	ADD D3552-11 AND CONVERSIONS FOR INSPECTION; UPDATE P/N FOR D3552-7	LE	07.06.01
B	ADD D3552-7/-9; UPDATE DESC. D3552-1/-3/-5	LE	06.10.24
A	NEW ISSUE	LE	06.09.15
REV.	DESCRIPTION	BY	DATE
DESIGN	VS		
DRAWN	VS		
CHECKED	AK		
MFG. APPR.	DD		
APPROVED	HS		
DE APPR.	DS		
DATE	15.04.13		

APPROVED

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D3552** REV. L
SHEET 1 OF 2
TITLE **DOOR PROP** SCALE NTS

COPYRIGHT © 2006 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DART PART NUMBER	DESCRIPTION	STROKE (mm/in)	EXTENDED LENGTH (mm/in)	FORCE (N/lb)	END FITTING	MATERIAL	SUPPLIER	SUPPLIER PART NUMBER OR MODEL NUMBER
D3552-1	DOOR PROP	220/8.66	530/20.6	70/15.7	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-220-530-070N
D3552-3	DOOR PROP	200/7.87	490/19.3	200/45.0	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-200-490-200N
D3552-5	DOOR PROP	175/6.89	430/16.9	150/33.7	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-175-430-150N
D3552-7	DOOR PROP	220/8.66	530/20.9	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-220-530-070N
D3552-9	DOOR PROP	200/7.87	490/19.3	200/45.0	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-200-490-200N
D3552-11	DOOR PROP	240/9.45	575/22.6	150/33.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-240-575-150N
D3552-13	DOOR PROP	220/8.66	530/20.9	140/31.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-220-530-140N
D3552-15	DOOR PROP W/EXTRA DAMPING	154/6.06	387/15.2	300/67.4	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-300NX
D3552-17	DOOR PROP W/EXTRA DAMPING	154/6.06	387/15.2	156/35.1	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-156NX
D3552-19	DOOR PROP W/EXTRA DAMPING	154/6.06	387/15.2	60/13.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-060NX
D3552-21	DOOR PROP	167/6.57	410/16.1	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-167-410-070N
D3552-23	DOOR PROP	190/7.48	475/18.7	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-190-475-070N
D3552-25	DOOR PROP W/EXTRA DAMPING	148/5.83	475/18.7	300/67.4	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-148-475-300NX
D3552-27	DOOR PROP W/EXTRA DAMPING	148/5.83	475/18.7	156/35.1	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-148-475-156NX
D3552-29	DOOR PROP	190/7.48	475/18.7	100/22.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-190-475-100N
D3552-101	CLIP	N/A	N/A	N/A	N/A	CARBON STEEL	LS TECHNOLOGIES	C9
D3552-103	BALL SOCKET END	N/A	N/A	N/A	N/A	NYLON	LS TECHNOLOGIES	B10

D3552-X DOOR PROP

RELEASED
2015-08-04

NOTES:

- 1) IDENTIFICATION: IDENTIFY PER QSI 044 6.2
- 2) D3552-101 CLIP IS ONLY COMPATIBLE WITH D3552-1/-3/-5 DOOR PROPS
- 3) D3552-103 BALL SOCKET END IS ONLY COMPATIBLE WITH D3552-7/-9/-11/-13/-15/-17/-19/-21/-23/-25/-27/-29 DOOR PROPS

APPROVED

DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	AK	DRAWING NO.	REV. L
MFG. APPR.	DD	D3552	SHEET 2 OF 2
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	DOOR PROP	NTS
DATE	15.04.13	COPYRIGHT © 2006 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	